# WALLYTENDER43



20 years ahead



# INSPIRING NEW PERSPECTIVES



# >> Ingeniously multifunctional <<

The wallytender43 is a truly multipurpose vessel that serves as a day boat, tender, shuttle or support boat for sailing yachts, offering a sheltered driving and passenger experience and is available in a unique selection of colours.







## » Cross that line ‹‹



# SEA FAVOURS THE BOLD
















>> Your tender, your way ‹‹















» Double triple ‹‹







The unique **centre cockpit** layout offers maximum protection from the elements,

especially at top speeds.

>> Cockpit meets walkaround <<



# ULTIMATE CRUISING COMFORT





# >> Open attitude ‹‹











>> Essentially Wally <<










# EMBRACE THE ADVENTURES



# >> Total command in perfect comfort <<















# READY FOR THIS JOURNEY

# **WALLYTENDER43**



Profile





Main deck



Interior



#### Main technical specifications

#### Engines

2 x VOLVO PENTA D6-440 AQ DPI [R5] power 440 mhp / 324 kW at 3,700 rpm

#### Speed (knots)

|                | VOLVO D6-440 |
|----------------|--------------|
| Maximum speed  | 40 knots     |
| Cruising speed | 32 knots     |

#### Range (nautical miles)

|                | VOLVO D6-440 |
|----------------|--------------|
| Maximum speed  | 280 n.m.     |
| Cruising speed | 320 n.m.     |

#### Main sizes

| LOA = length overall (ISO 8666)                      | 13.2 m | 43 ft 2 in |
|--|--------|------------|
| LH = length hull (ISO 8666)                          | 13.0 m | 42 ft 6 in |
| LWL = length waterline (full load, standard version) | 12.0 m | 39 ft 4 in |
| Maximum beam   | 4.3 m  | 14 ft 1 in |
| Depth under propellers (full load, standard version) | 1.2 m  | 3 ft 9 in  |
| Displacement (light ship, standard version)          | 9.5 t  | 20,944 lb  |
| Displacement (full load, standard version)           | 12.5 t | 27,558 lb  |
| Maximum number of persons on board                   |        | 12         |
| Design category directive 2013/53/EU                 |        | В          |
| Certification modules                                | B+F    | RINA       |
|  |        |            |

#### Technical data

| Hull type: warped hull with spray rails and aft deadrise |       | 21°        |
|--|-------|------------|
| H = overall height                                       | 4.7 m | 15 ft 3 in |
| P = pulpit + transom                                     | 0.2 m | 0 ft 8 in  |
| Fuel tank capacity                                       | 1,180 | 312 US gal |
| Water tanks capacity                                     | 200 I | 53 US gal  |

#### Performance specifications

| The performance is estimated at the following conditions:  |        |           |
|--|--------|-----------|
| Standard version displacement of the yacht:<br>at 1/3 of load, clean hull, 25 °C air temperature,<br>good weather conditions, 4 persons on board | 10.3 t | 22,701 lb |
| Overloading the yacht by   | 0.5 t  | 1,102 lb  |
| Top speed decreases of   |        | 1 knot    |

The Technical data, performances, designs and graphic reproductions are purely indicative, are not contractual, shall not constitute in any circumstances whatsoever any contractual offer by the shipyard and refer to European standard models of motor yachts built by the shipyard. The only valid technical reference or description is the specific parameters of each motor yacht cited only on purchase of the same. Therefore the only indications binding on the seller are contained solely in the sale agreement and in the relevant specific manual.

# **WALLYTENDER43X**



Profile





Main deck



Interior



#### Main technical specifications

#### Engines

| 3 x MERCURY VERADO V10 400 potenza 400 hp / 294 kW a 6400 g/min | std |
|---|-----|
| 3 x MERCURY RACING V8 500R potenza 500 hp / 372 kW a 6600 g/min | opt |

#### Speed (knots)

| VERA           | ADO 400HP  | RACING 500HP |
|----------------|------------|--------------|
| Maximum speed  | 46,5 knots | 52 knots     |
| Cruising speed | 30 knots   | 32 knots     |

#### Range (nautical miles)

|                | VERADO 400HP | RACING 500HP |
|----------------|--------------|--------------|
| Maximum speed  | 210 n.m.     | 160 n.m.     |
| Cruising speed | 300 n.m.     | 280 n.m.     |

#### Main sizes

| 114111 312C3   |        |            |
|--|--------|------------|
| LOA = length overall (ISO 8666)                      | 13.2 m | 43 ft 3 in |
| LH = length hull (ISO 8666)                          | 12.9 m | 42 ft 3 in |
| LWL = length waterline (full load, standard version) | 12.0 m | 39 ft 4 in |
| Maximum beam   | 4.3 m  | 14 ft 1 in |
| Depth under propellers (full load, standard version) | 1.25 m | 4 ft 1 in  |
| Displacement (light ship, standard version)          | 9.0 t  | 19,842 lb  |
| Displacement (full load, standard version)           | 12.0 t | 26,455 lb  |
| Maximum number of persons on board                   |        | 12         |
| Design category directive 2013/53/EU                 |        | В          |
| Certification modules                                | B+F    | RINA       |

#### Technical data

| Hull type: warped hull with spray rails and aft deadrise |         | 21°        |
|--|---------|------------|
| H = overall height                                       | 4.7 m   | 15 ft 3 in |
| P = pulpit + transom                                     | 0.3 m   | 1 ft 0 in  |
| Fuel tank capacity                                       | 1,750 l | 462 US gal |
| Water tanks capacity                                     | 200 l   | 53 US gal  |

#### Performance specifications

| The modern constitutions   |       |           |
|--|-------|-----------|
| The performance is estimated at the following conditions:  |       |           |
| Standard version displacement of the yacht:<br>at 1/3 of load, clean hull, 25 °C air temperature,<br>good weather conditions, 4 persons on board | 9.9 t | 21,771 lb |
| Overloading the yacht by   | 0.5 t | 1,102 lb  |
| Top speed decreases of   |       | 1 knot    |

The Technical data, performances, designs and graphic reproductions are purely indicative, are not contractual, shall not constitute in any circumstances whatsoever any contractual offer by the shipyard and refer to European standard models of motor yachts built by the shipyard. The only valid technical reference or description is the specific parameters of each motor yacht cited only on purchase of the same. Therefore the only indications binding on the seller are contained solely in the sale agreement and in the relevant specific manual.



### LEADING THE FUTURE

#### CREIAMO GRANDEZZA

Come Gruppo leadér della nautica di lusso, è questo il nostro impegno primario, l'ispirazione che ci guida, individualmente e collettivamente. È il valore che trasmettiamo ai nostri dipendenti, ai nostri brand, agli armatori.

#### MIGLIORIAMO GLI STANDARD DELLA NAUTICA

Incoraggiamo i nostri professionisti a utilizzare know-how ed esperienza per rendere la nautica di lusso un polo di attrazione e un motore di sviluppo economico e tecnologico.

#### CREDIAMO NELL'INNOVAZIONE

Ferretti Group raggiunge l'eccellenza grazie alla costante innovazione e all'adozione di tecnologie avanzate. È così che otteniamo performance eccellenti e garantiamo sicurezza in mare, offrendo agli armatori esperienze senza eguali.

#### CREIAMO VALORE

Supportiamo con risorse ed energie lo sviluppo a lungo termine dei nostri brand, rafforzando ulteriormente la loro capacità di creare valore. Questo ha assicurato negli anni un successo straordinario, consentendoci di diventare leader indiscusso nel settore della nautica di lusso.

#### SIAMO VICINI ED EFFICACI

Ferretti Group ha costruito nel tempo una rete internazionale di dealer e assistenza, così da soddisfare ogni necessità e desiderio degli armatori in ogni parte del mondo. La vicinanza al cliente è uno degli ingredienti del nostro successo duraturo.

#### CONSIDERIAMO L'IMPATTO AMBIENTALE

Consapevole della necessità di considerare l'impatto ambientale e sociale dei propri prodotti e processi, Ferretti Group pubblica annualmente un Bilancio di Sostenibilità. Il documento illustra i principali effetti ambientali derivanti dalle attività del Gruppo e delinea le iniziative in atto per uno sviluppo sostenibile.

#### CREATING GREATNESS

This is our commitment as a luxury yachting group. This is the spirit that drives us, individually and collectively. This is the value we bring for our employees, our brands, our clients and society as a whole.

#### EMPOWERING EXPERTISE

We continually spur each of our brands to go further. We leverage their special know-how, artisanal accomplishment and technological expertise to stay at the cutting edge of the nautical world.

#### STRIVING FOR INNOVATION

Ferretti Group delivers excellence through constant innovation and pioneering technology. This is how we achieve formidable performance and safety at sea, offening clients authentic experiences to satisfy their desires for affirmation and self-expression.

#### CREATING VALUE

We focus our energy and resources on supporting our brands in their long-term development, further boosting their ability to create value. This has earned us extraordinary success over the years, helping the group become a pre-eminent player in today's yachting sector.

#### GOING GLOBAL

Ferretti Group always endeavours to be close to the market and to our customers, doing whatever it takes to deliver exceptional performance. We have built up an agile, resourceful international dealer network, supported by high-end marketing initiatives to enhance our brands' worldwide visibility and profile.

#### SOFTENING OUR IMPACT ON THE ENVIRONMENT

Ever aware of the need to consider the environmental and social sideeffects of our products and processes. Ferretti Group publishes a Sustainability Report every year. This document maps the main impacts of our activities and outlines the initiatives in place towards more sustainable development.

ferrettigroup.com













CUSTOM LINE



wallytender43



wallytender43X

#### DISCLAIMER

- 1. This brochure does not constitute an offer by the shipyard to any person under any circumstances whatsoever, nor may it be incorporated into any contract.
- 2. All the information in this brochure, including without limitation all technical and performance data, illustrations and drawings, has no contractual effect. That information refers to European standard models of motor yachts built by the shipyard and is accurate at the brochure's date of issue. The only valid technical description or reference content for an individual motor yacht is the exact specification stated at the time of purchase. Therefore, the only information that is binding on the seller is that contained in the sale agreement and associated manual. This brochure is based on information available at the date of issue. Notwithstanding Ferretti Group's best efforts to ensure accuracy, the information in this brochure may not cover all details or subsequent changes, nor does it claim to accurately foresee or detail all possible scenarios. Displays, photos, diagrams, designs or examples in this brochure are reproduced solely and exclusively to highlight the information contained. Each yacht is different, so the shipyard declines any and all liability for any use thereof on the basis of the information in this brochure.
- 3. The brochure and its contents must not be copied or reproduced in their entirety or in part.
- 4. Sale of this brochure is not permitted



Release April 2024

